



accesorios aleados
alloy accessories
acessórios de liga metálica

20
AÑOS
EN CONSTANTE **EVOLUCIÓN**

20
AÑOS
EN CONSTANTE **EVOLUCIÓN**



ARGENTINA

Debenedetti 3895
(B1636ENU) Olivos - Buenos Aires
Ph.: +54 11 4005.5540 | 5587
www.duralitte.com

PLANTA CARDALES

Parque Ind. Ruta 6
Ruta Prov. 6 Km. 180
(2814) Los Cardales
Buenos Aires

**CENTRO DE SERVICIOS
Y LOGÍSTICA NEUQUÉN**

Fiambalá 307
(Q8304DIG) Neuquén
Ph.: +54 299 525.9321



USA HEADQUARTERS

19315 Dickson Park Dr.
Houston - Texas - TX 77373
www.duxaoil.com

WAREHOUSE

1920 WW Thorne Dr.
Houston - Texas - TX 77373
Ph.: +1 832.515.5543

MIDLAND TX WAREHOUSE

7509 W. Industrial Ave. - Suite B1
Midland | Texas | USA TX 79706
Ph.: +1 832.203.9643



USA HEADQUARTERS

19315 Dickson Park Dr.
Houston - Texas - TX 77373
www.duxatech.com

WAREHOUSE

1920 WW Thorne Dr.
Houston - Texas - TX 77373
Ph.: +1 832.515.5543



BRASIL

Av. Doutor Augusto de Toledo 1572
Cep: 09540-080 | Bairro Oswaldo Cruz
São Caetano do Sul | São Paulo | Brasil
www.duralitte.com.br




Accesorios Aleados

Alloy Accessories

Acessórios de Liga Metálica

*Mediante una alianza estratégica con proveedores internacionales **Duralitte** provee accesorios en materiales aleados para operaciones especiales.*

Los mismos se utilizan donde los materiales están sometidos a condiciones de alta presión, temperatura o ambientes corrosivos.



*Through a strategic alliance with international suppliers, **Duralitte** provides accessories in alloyed materials for special operations.*

They are used where the materials are subjected to conditions of high pressure, temperature or corrosive environments.



Através de uma aliança estratégica com fornecedores internacionais, a **Duralitte** fornece acessórios em materiais de liga de aço para operações especiais.

Os mesmos são utilizados onde os materiais estão sujeitos a condições de alta pressão, temperatura ou ambientes corrosivos.



Accesorios para soldar a tope ASTM B16.9

Buttwelding fittings
ASTM B16.9

Acessórios para soldagem de ASTM B16.9



Duralitte provee accesorios ASME B16.9, accesorios para tuberías para soldar a tope (BW) sin costura, accesorios para soldar por encastre (SW) y accesorios para tuberías industriales de alta calidad.

Duralitte provides high quality ASME B16.9 fittings, seamless butt weld (BW) pipe fittings, socket weld (SW) fittings and industrial pipe fittings.

A **Duralitte** fornece acessórios ASME B16.9 de alta qualidade, solda de tope (BW) sem costura, acessórios para solda de encaixe (SW) e acessórios para tubos industriais.

Tipos de accesorios BW | Types Of Steel Buttweld Fittings | Tipos de acessórios de aço BW

Types Of Buttweld Fittings
ASME B 16.9 Fittings
ASME B 16.9 Elbow
ASME B 16.9 Tee
ASME B 16.9 Reducer
ASME B16.9 End Cap
ASME B 16.9 Stub End
Lap Joint Stub End / Short Stub End

Stainless Steel Pipe Fittings
Stainless Steel 304 Pipe Fittings
ASTM A403 WP 304 Elbow
Stainless Steel 304L Pipe Fittings
Stainless Steel 316 Pipe Fittings
ASTM A403 WP 316 Elbow
Stainless Steel 316L Pipe Fittings
Stainless Steel 317L Pipe Fittings
Stainless Steel 321 Pipe Fittings
Stainless Steel 347 Pipe Fittings
Stainless Steel 904L Pipe Fittings

Carbon Steel Pipe Fitting
ASTM A860 WPHY 42
ASTM A860 WPHY 52 Fitting
ASTM A860 WPHY 56 Fitting
ASTM A860 WPHY 60 Fitting
ASTM A860 WPHY 65 Fitting
ASTM A860 WPHY 70 Fitting

Tipos de accesorios BW | Types Of Steel Buttweld Fittings | Tipos de acessórios de aço BW

ASTM A234 WPB Pipe Fittings
ASTM A234 WPB Elbow
ASTM A234 WPB Reducer
ASTM A234 WPB Tee
ASTM A234 WPB Pipe Cap
ASTM A234 WPB Weldolet

ASTM A420 WPL6 Fittings
ASTM A420 WPL6 Elbow
ASTM A420 WPL6 Reducer
ASTM A420 WPL6 Tee
ASTM A420 WPL6 Pipe Cap

Alloy Steel Fittings
ASTM A234 WP5 Pipe Fitting
ASTM A234 WP9 Pipe Fitting
ASTM A234 WP11 Pipe Fitting
ASTM A234 WP22 Pipe Fitting
ASTM A234 WP91 Pipe Fitting

Inconel 600 Pipe Fittings
Inconel 625 Pipe Fittings
Inconel 718 Pipe Fittings

Incoloy 800 / 800H Pipe Fittings
Incoloy 825 Pipe Fittings

Monel 400 Pipe Fittings
Hastelloy C276 Pipe Fittings
Alloy 20 Pipe Fittings



Bridas | Flanges | Flanges

Estándard | Standard

ANSI DIN, JIS, UNI, BS, SABS, GOST, AS2129, EN, AWWA, NFE, API 6A, ASME, EN1092-1, EN1092-2, KS (Korea), BS4504, GB, AWWA C207, PSI

German (DIN)

DIN 2527, DIN 2566, DIN 2576, DIN 2641, DIN 2573, DIN 2642, DIN 2655, DIN 2627, DIN 2656, DIN 2628, DIN 2631, DIN 2632, DIN 2629, DIN 2633, DIN 2635, DIN 2636, DIN 2634, DIN 2637, DIN 2638 Flanges

ANSI

ANSI B16.5, ANSI B16.47(API605), MSS SP44, ANSI B16.36, ANSI B16.48, ANSI B16.47 Series A & B, MSS SP44, ASA, API-605, AWWA, Custom Drawings

American standard (ANSI)

ANSI B16.5, ANSI B16.47, MSS SP44, ANSI B16.36, ANSI B16.48

British standard (BS)

BS4504, BS3293, BS1560, BS10

AS 2129:

Table D; Table E; Table H

Other:

AWWA C207, EN1092-1, EN1092-2, GOST12820, JIS B2220, SABS1123, KS B1503, NFE29203, UNI2276



Clases de presión de Trabajo | Working Pressure Class | Pressão de trabalho

Temperature Range °C	Class / Pressure						
	150	300	400	600	900	1500	2500
-67	19.80	51.70	68.90	103.40	155.10	258.60	430.90
50	19.50	51.70	68.90	103.40	155.10	258.60	430.90
100	17.70	51.50	68.70	103.00	154.60	257.60	429.40
150	15.80	50.20	66.80	100.30	150.50	250.80	418.10
200	13.80	48.60	64.80	97.20	145.80	243.20	405.40
250	12.10	46.30	61.70	92.70	139.00	231.80	386.20
300	10.20	42.90	57.00	85.70	128.60	214.40	357.10
325	9.30	41.40	55.00	82.60	124.00	206.60	344.30
350	8.40	40.00	53.40	80.00	120.10	200.10	333.50
375	7.40	37.80	50.40	75.70	113.50	189.20	315.30
400	6.50	34.70	46.30	69.40	104.20	173.60	289.70
425	5.50	28.80	38.40	57.50	86.30	143.80	239.70
450	4.60	23.00	30.70	46.00	69.00	115.00	191.70
475	3.70	17.10	22.80	34.20	51.30	85.40	142.40
500	2.80	11.60	15.40	23.20	34.70	57.90	96.50
538	1.40	5.90	7.90	11.80	17.70	29.50	49.20

Materiales | Materials | Materiais

Stainless Steel Flanges
Stainless Steel Weld Neck Flanges
Stainless Steel Blind Flanges
Stainless Steel Slip on Flanges
Stainless Steel 304 Flanges
Stainless Steel 304L Flanges
Stainless Steel 310 Flanges
Stainless Steel 316 Flanges
Stainless Steel 316L Flanges
Stainless Steel 317L Flanges
Stainless Steel 321 Flanges
Stainless Steel 347 Flanges
Stainless Steel 904L Flanges

Carbon Steel Flanges
ASTM A105 Flanges
ASTM A105 Carbon Steel Weld Neck Flanges
ASTM A105 Carbon Steel Blind Flanges
ASTM A105 Carbon Steel Slip on Flanges
ASTM A350 LF2 Flanges
ASTM A694 F42 Flanges
ASTM A694 F52 Flanges
ASTM A694 F60 Flanges
ASTM A694 F65 Flanges
ASTM A694 F70 Flanges

Alloy Steel Flanges
ASTM A182 F5 Flanges
ASTM A182 F9 Flanges
ASTM A182 F11 Flanges
ASTM A182 F22 Flanges
ASTM A182 F91 Flanges

2205 Duplex Steel Flanges
UNS S31803 Flanges
UNS S32205 Flanges

2507 Super Duplex Flanges
UNS S32750 Flanges
UNS S32760 Flanges

90/10 Copper Nickel Flanges

70/30 Copper Nickel Flanges
 EEMUA 145
 Copper Nickel Flanges

Nickel 200 Flanges

Nickel 201 Flanges

Hastelloy C276 Flanges

Hastelloy C22 Flanges

Inconel 600 Flanges

Inconel 625 Flanges

Incoloy 800/800H


Incoloy 825 Flanges

Monel 400 Flanges
Tipos | Types | Tipos


Weld Neck Flange



Slip On Flange



Blind Flange



Spectacle Blind Flange



Orifice Flange



Threaded Flange



Socket Weld Flange



Flat Flange



Ring Type Joint Flange



Nipo Flange



Lap Joint Flange



Weldoflange



Bleed Ring Flange



Raised Face Flange



Male Female Flange



Ring Spacers Flange

Tubos

Steel Pipe | Cano de Aço



Grados disponibles de tubos de acero

Grades of steel pipes | Tipos disponíveis de tubos de aço

- Stainless Steel Pipe
- Alloy Steel Pipes
- Duplex Steel Pipes
- Super Duplex Steel Pipes
- Inconel Pipes
- Hastelloy Pipes
- Monel Pipes
- Titanium Pipe
- SS904L Pipe
- 254 SMO Pipes
- Incoloy Pipes
- Alloy 20 Pipes

Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
Inch mm.	Inch mm.	ASME			Inch	mm.	lbs./Foot	Kg./Meter	Inch	mm.
1/8 6	0,405 10,3	10 STD XS	40 80	10S 40S 80S	0,049 0,068 0,095	1,24 1,73 2,41	0,19 0,24 0,31	0,28 0,37 0,47	0,307 0,269 0,215	7,82 6,84 5,84
1/4 8	0,54 13,7	10 STD XS	40 80	10S 40S 80S	0,065 0,088 0,119	1,65 2,24 3,02	0,33 0,43 0,54	0,49 0,63 0,8	0,41 0,364 0,302	10,4 9,22 7,66
3/8 10	0,675 17,1	10 STD XS	40 80	10S 40S 80S	0,065 0,091 0,126	1,65 2,31 3,2	0,42 0,57 0,74	0,63 0,84 1,1	0,545 0,493 0,423	13,8 12,48 10,7
1/2 15	0,84 21,3	5 10 STD XS 160 XX	40 80	5S 10S 40S 80S	0,065 0,083 0,109 0,147 0,188 0,294	1,65 2,11 2,77 3,73 4,78 7,47	0,54 0,67 0,85 1,09 1,31 1,72	0,8 1 1,27 1,62 1,95 2,55	0,71 0,674 0,622 0,546 0,464 0,252	18 17,08 15,76 13,84 11,74 6,36
3/4 20	1,05 26,7	5 10 STD XS 160 XX	40 80	5S 10S 40S 80S	0,065 0,083 0,113 0,154 0,219 0,308	1,65 2,11 2,87 3,91 5,56 7,82	0,69 0,86 1,13 1,48 1,95 2,44	1,03 1,28 1,69 2,2 2,9 3,64	0,92 0,884 0,824 0,742 0,612 0,434	23,4 22,48 20,96 18,88 15,58 11,06

Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
Inch mm.	Inch mm.	ASME			Inch	mm.	lbs./Foot	Kg./Meter	Inch	mm.
1 25	1,315 33,4	5	40	5S	0,065	1,65	0,87	1,29	1,185	30,1
		10	80	10S	0,109	2,77	1,41	2,09	1,097	27,86
		STD		40S	0,133	3,38	1,68	2,5	1,049	26,64
		XS		80S	0,179	4,55	2,17	3,24	0,957	24,3
		160			0,25	6,35	2,85	4,24	0,815	20,7
		XX			0,358	9,09	3,66	5,45	0,599	15,22
1 25	1,315 33,4	5	40	5S	0,065	1,65	0,87	1,29	1,185	30,1
		10	80	10S	0,109	2,77	1,41	2,09	1,097	27,86
		STD		40S	0,133	3,38	1,68	2,5	1,049	26,64
		XS		80S	0,179	4,55	2,17	3,24	0,957	24,3
		160			0,25	6,35	2,85	4,24	0,815	20,7
		XX			0,358	9,09	3,66	5,45	0,599	15,22
1 1/4 32	1,66 42,2	5	40	5S	0,065	1,65	1,11	1,65	1,53	38,9
		10	80	10S	0,109	2,77	1,81	2,69	1,442	36,66
		STD		40S	0,14	3,56	2,27	3,39	1,38	35,08
		XS		80S	0,191	4,85	3	4,47	1,278	32,5
		160			0,25	6,35	3,77	5,61	1,16	29,5
		XX			0,382	9,7	5,22	7,77	0,896	22,8
1 1/2 40	1,9 48,3	5	40	5S	0,065	1,65	1,28	1,9	1,77	45
		10	80	10S	0,109	2,77	2,09	3,11	1,682	42,76
		STD		40S	0,145	3,68	2,72	4,05	1,61	40,94
		XS		80S	0,2	5,08	3,63	5,41	1,5	38,14
		160			0,281	7,14	4,86	7,25	1,338	34,02
		XX			0,4	10,15	6,41	9,55	1,1	28
2 50	2,375 60,3	5	40	5S	0,065	1,65	1,61	2,39	2,245	57
		10	80	10S	0,109	2,77	2,64	3,93	2,157	54,76
		STD		40S	0,14	3,91	3,66	5,44	2,067	52,48
		XS		80S	0,191	5,54	5,03	7,48	1,939	49,22
		160			0,25	8,74	7,47	11,11	1,687	42,82
		XX			0,382	11,07	9,04	13,44	1,503	38,16
2 1/2 65	2,875 73	5	40	5S	0,083	2,11	2,48	3,69	2,709	68,78
		10	80	10S	0,12	3,05	3,53	5,26	2,635	66,9
		STD		40S	0,203	5,16	5,8	8,63	2,469	62,68
		XS		80S	0,276	7,01	7,67	11,41	2,323	58,98
		160			0,375	9,53	10,02	14,92	2,125	53,94
		XX			0,552	14,02	13,71	20,39	1,771	44,96



Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
<i>Inch mm.</i>	<i>Inch mm.</i>	<i>ASME</i>			<i>Inch</i>	<i>mm.</i>	<i>lbs./Foot</i>	<i>Kg./Meter</i>	<i>Inch</i>	<i>mm.</i>
3 80	3,5 88,9	5	40	5S	0,083	2,11	3,03	4,52	3,334	84,68
		10	80	10S	0,12	3,05	4,34	6,46	3,26	82,8
		STD		40S	0,216	5,49	7,58	11,29	3,068	77,92
		XS		80S	0,3	7,62	10,26	15,27	2,9	73,66
		160			0,438	11,13	14,34	21,35	2,624	66,64
		XX			0,6	15,24	18,6	27,68	2,3	58,42
3 1/2 101.6	4 101,6	5	40	5S	0,083	2,11	3,48	5,18	3,834	97,38
		10	80	10S	0,12	3,05	4,98	7,41	3,76	95,5
		STD		40S	0,226	5,74	9,12	13,57	3,548	90,12
		XS		80S	0,318	8,08	12,52	18,64	3,364	85,44
		160			0,636	16,15	22,87	34,03	2,728	69,3
		XX								
4 100	4,5 114,3	5	40	5S	0,083	2,11	3,92	5,84	4,334	110,08
		10	80	10S	0,12	3,05	5,62	8,37	4,26	108,2
		STD		40S	0,156	3,96	7,24	10,78	4,188	106,38
		XS		80S	0,188	4,78	8,67	12,91	4,124	104,74
		160			0,237	6,02	10,8	16,08	4,026	102,26
		XX			0,337	8,56	15	22,32	3,826	97,18
					0,438	11,13	19,02	28,32	3,624	92,04
					0,531	13,49	22,53	33,54	3,438	87,32
					0,674	17,12	27,57	41,03	3,152	80,06
4 1/2 115	5 127	STD	40	40S	0,247	6,27	12,55	18,67	4,506	114,46
		XS	80	80S	0,355	9,02	17,63	26,24	4,29	108,96
		XX			0,71	18,03	32,56	48,45	3,58	90,94
5 125	5,563 141,3	5	40	5S	0,109	2,77	6,36	9,46	5,345	135,76
		10	80	10S	0,134	3,4	7,78	11,56	5,295	134,5
		STD		40S	0,258	6,55	14,63	21,77	5,047	128,2
		XS		80S	0,375	9,53	20,8	30,97	4,813	122,24
		120			0,5	12,7	27,06	40,28	4,563	115,9
		160			0,625	15,88	32,99	49,12	4,313	109,54
		XX			0,75	19,05	38,59	57,43	4,063	103,2

Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
Inch mm.	Inch mm.	ASME			Inch	mm.	lbs./Foot	Kg./Meter	Inch	mm.
6 150	6,625 168,3	5	40	5S	0,109	2,77	7,59	11,31	6,407	162,76
		10	80	10S	0,134	3,4	9,3	13,83	6,357	161,5
		STD		40S	0,188	4,78	12,94	19,28	6,249	158,74
		XS		80S	0,28	7,11	18,99	28,26	6,065	154,08
		120			0,432	10,97	28,6	42,56	5,761	146,36
		160			0,562	14,27	36,43	54,21	5,501	139,76
		XX			0,719	18,26	45,39	67,57	5,187	131,78
					0,864	21,95	53,21	79,22	4,897	124,4
7 175	7,625 193,7	STD	40	40S	0,301	7,65	23,57	35,1	7,023	178,4
		XS	80	80S	0,5	12,7	38,08	56,69	6,625	168,3
		XX			0,875	22,23	63,14	94	5,875	149,24
8 200	8,625 219,1	10	40	5S	0,109	2,77	9,92	14,78	8,407	213,56
		20	80	10S	0,148	3,76	13,41	19,97	8,329	211,58
		30		40S	0,25	6,35	22,38	33,32	8,125	206,4
		STD		80S	0,277	7,04	24,72	36,82	8,071	205,02
		60			0,322	8,18	28,58	42,55	7,981	202,74
		XS			0,406	10,31	35,67	53,09	7,813	198,48
		100			0,5	12,7	43,43	64,64	7,625	193,7
		120			0,594	15,09	51	75,92	7,437	188,92
		140			0,719	18,26	60,77	90,44	7,187	182,58
		XX			0,812	20,62	67,82	100,93	7,001	177,86
		160			0,875	22,23	72,49	107,93	6,875	174,64
					0,906	23,01	74,76	111,27	6,813	173,08
9 225	9,625 244,5	STD	40	40S	0,342	8,69	33,94	50,54	8,941	227,12
		XS	80	80S	0,5	12,7	48,77	72,6	8,625	219,1
		XX			0,875	22,23	81,85	121,85	7,875	200,04
10 250	10,75 273	20	40	5S	0,134	3,4	15,21	22,61	10,482	266,2
		30	60	10S	0,165	4,19	18,67	27,78	10,42	264,62
		STD	XX	40S	0,188	4,78	21,23	31,62	10,374	263,44
		XS		80S	0,25	6,35	28,06	41,76	10,25	260,3
		80			0,307	7,8	34,27	51,01	10,136	257,4
		100			0,365	9,27	40,52	60,29	10,02	254,46
		120			0,5	12,7	54,79	81,53	9,75	247,6
		140			0,594	15,09	64,49	95,98	9,562	242,82
		160			0,719	18,26	77,1	114,71	9,312	236,48
					0,844	21,44	89,38	133,01	9,062	230,12
					1	25,4	104,23	155,1	8,75	222,2
					1,125	28,58	115,75	172,27	8,5	215,84

Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
<i>Inch mm.</i>	<i>Inch mm.</i>	<i>ASME</i>			<i>Inch</i>	<i>mm.</i>	<i>lbs./Foot</i>	<i>Kg./Meter</i>	<i>Inch</i>	<i>mm.</i>
11 275	7,625 193,7	STD	40	40S	0,375	9,53	45,6	67,91	11	279,44
		XS	80	80S	0,5	12,7	60,13	89,51	10,75	273,1
		XX			0,875	22,23	101,72	151,46	10	254,04
12 300	12,75 323,8	20	XX	5S	0,156	3,96	21	31,24	12,438	315,88
		30		10S	0,18	4,57	24,19	35,98	12,39	314,66
		STD		40S	0,188	4,78	25,25	37,61	12,374	314,24
		40			0,25	6,35	33,41	49,71	12,25	311,1
		XS			0,33	8,38	43,81	65,19	12,09	307,04
		60			0,375	9,53	49,61	73,86	12	304,74
		80			0,406	10,31	53,57	79,71	11,938	303,18
		100			0,5	12,7	65,48	97,44	11,75	298,4
		120			0,562	14,27	73,22	108,93	11,626	295,26
		140			0,688	17,48	88,71	132,05	11,374	288,84
		160			0,844	21,44	107,42	159,87	11,062	280,92
					1	25,4	125,61	186,92	10,75	273
					1,125	28,58	139,81	208,08	10,5	266,64
					1,312	33,32	160,42	238,69	10,126	257,16
14 350	14 355,6	10	30	10S	0,188	4,78	27,76	41,36	13,624	346,04
		20		40S	0,25	6,35	36,75	54,69	13,5	342,9
		STD		80S	0,312	7,92	45,65	67,91	13,376	339,76
		40			0,375	9,53	54,62	81,33	13,25	336,54
		XS			0,438	11,13	63,5	94,55	13,124	333,34
		60			0,5	12,7	72,16	107,4	13	330,2
		80			0,594	15,09	85,13	126,72	12,812	325,42
		100			0,75	19,05	106,23	158,11	12,5	317,5
		120			0,938	23,83	130,98	194,98	12,124	307,94
		140			1,094	27,79	150,93	224,66	11,812	300,02
		160			1,25	31,75	170,37	253,58	11,5	292,1
16 400	16 406,4	10	30	10S	0,188	4,78	31,78	47,34	15,624	396,84
		20		40S	0,25	6,35	42,09	62,65	15,5	393,7
		STD		80S	0,312	7,92	52,32	77,83	15,376	390,56
		XS			0,375	9,53	62,64	93,27	15,25	387,34
		60			0,5	12,7	82,85	123,31	15	381
		80			0,656	16,66	107,6	160,13	14,688	373,08
		100			0,844	21,44	136,74	203,54	14,312	363,52
		120			1,031	26,19	164,98	245,57	13,938	354,02
		140			1,219	30,96	192,61	286,66	13,562	344,48
		160			1,438	36,53	223,85	333,21	13,124	333,34
					1,594	40,49	245,48	365,38	12,812	325,42

Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
Inch mm.	Inch mm.	ASME			Inch	mm.	lbs./Foot	Kg./Meter	Inch	mm.
18 450	18 457	10		10S	0,188	4,78	35,8	53,31	17,624	447,44
		20		40S	0,25	6,35	47,44	70,57	17,5	444,3
		STD		80S	0,312	7,92	58,99	87,71	17,376	441,16
		30			0,375	9,53	70,65	105,17	17,25	437,94
		XS			0,438	11,13	82,23	122,38	17,124	434,74
		40			0,5	12,7	93,54	139,16	17	431,6
		60			0,562	14,27	104,76	155,81	16,876	428,46
		80			0,75	19,05	138,3	205,75	16,5	418,9
		100			0,938	23,83	171,08	254,57	16,124	409,34
		120			1,156	29,36	208,15	309,64	15,688	398,28
		140			1,375	34,93	244,37	363,58	15,25	387,14
		160			1,562	39,67	274,48	408,28	14,876	377,66
					1,781	45,24	308,79	459,39	14,438	366,52
20 500	20 508	10	20	10S	0,218	5,54	46,1	68,61	19,564	496,92
		STD	30	40S	0,25	6,35	52,78	78,56	19,5	495,3
		XS		80S	0,375	9,53	78,67	117,15	19,25	488,94
		40			0,5	12,7	104,23	155,13	19	482,6
		60			0,594	15,09	123,23	183,43	18,812	477,82
		80			0,812	20,62	166,56	247,84	18,376	466,76
		100			1,031	26,19	209,06	311,19	17,938	455,62
		120			1,281	32,54	256,34	381,55	17,438	442,92
		140			1,5	38,1	296,65	441,52	17	431,8
		160			1,75	44,45	341,41	508,15	16,5	419,1
22 550	22 559				1,969	50,01	379,53	564,85	16,062	407,98
		STD	10	10S	0,218	5,54	50,76	75,55	121,564	547,92
		XS	20	40S	0,25	6,35	58,13	86,55	21,5	546,3
		60	30	80S	0,375	9,53	86,69	129,14	21,25	539,94
		80			0,5	12,7	114,92	171,1	21	533,6
		100			0,875	22,23	197,6	294,27	20,25	514,54
		120			1,125	28,58	251,05	373,85	19,75	501,84
		140			1,375	34,93	303,16	451,45	19,25	489,14
		160			1,625	41,28	353,94	527,05	18,75	476,44
					1,875	47,63	403,38	600,67	18,25	463,74
					2,125	53,98	451,49	672,3	17,75	451,04

Nominal Pipe Size	OD	Schedule Designation			Wall Thickness		Weight		ID	
Inch mm.	Inch mm.	ASME			Inch	mm.	lbs./Foot	Kg./Meter	Inch	mm.
24 600	24 610	10	20	10S	0,25	6,35	63,47	94,53	23,5	597,3
		STD		40S	0,375	9,53	94,71	141,12	23,25	590,94
		XS		80S	0,5	12,7	125,61	187,07	23	584,6
		30			0,562	14,27	140,81	209,65	22,876	581,46
		40			0,688	17,48	171,45	255,43	22,624	575,04
		60			0,969	24,61	238,57	355,28	22,062	560,78
		80			1,219	30,96	296,86	442,11	21,562	548,08
		100			1,531	38,89	367,74	547,74	20,938	532,22
		120			1,812	46,02	429,79	640,07	20,376	517,96
		140			2,062	52,37	483,57	720,19	19,876	505,26
		160			2,344	59,54	542,64	808,27	19,312	490,92
26 650	26 660	STD	10	40S	0,312	7,92	85,68	127,36	25,376	644,16
		XS		80S	0,375	9,53	102,72	152,88	25,25	640,94
					0,5	12,7	136,3	202,74	25	634,6
28 700	28 711	STD	10	40S	0,312	7,92	92,35	137,32	27,376	695,16
		XS			0,375	9,53	110,74	164,86	27,25	691,94
					0,5	12,7	146,99	218,71	27	685,6
					0,625	15,88	182,9	272,23	26,75	679,24
30 750	30 762	STD	10	40S	0,312	7,92	99,02	147,29	29,376	746,16
		XS	20	80S	0,375	9,53	118,76	176,85	29,25	742,94
			30		0,5	12,7	157,68	234,68	29	736,6
					0,625	15,88	196,26	292,2	28,75	730,24
32 800	32 813	STD	10		0,312	7,92	105,69	157,25	31,376	797,16
		XS	20		0,375	9,53	126,78	188,83	31,25	793,94
			30		0,5	12,7	168,37	250,65	31	787,6
			40		0,625	15,88	209,62	312,17	30,75	781,24
					0,688	17,48	230,29	342,94	30,624	778,04
34 850	34 864	STD	10		0,312	7,92	112,36	167,21	33,376	848,16
		XS	20		0,375	9,53	134,79	200,82	33,25	844,94
			30		0,5	12,7	179,06	266,63	33	838,6
			40		0,625	15,88	222,99	332,14	32,75	832,24
					0,688	17,48	245	364,92	32,624	829,04
36 900	36 914	STD	10	40S	0,312	7,92	119,03	176,97	35,376	898,16
		XS		80S	0,375	9,53	142,81	212,57	35,25	894,94
					0,5	12,7	189,75	282,29	35	888,6
42 1050	42 1067	STD			0,375	9,53	166,86	248,53	41,25	1047,94
		XS			0,5	12,7	221,82	330,21	41	1041,6
					0,625	15,88	276,44	411,64	40,75	1035,24
					0,75	19,05	330,72	492,33	40,5	1028,9
48 1200	48 1219	STD			0,375	9,53	190,92	284,25	47,25	1199,94
		XS			0,5	12,7	253,89	377,81	47	1193,6





ARGENTINA

Debenedetti 3895
(B1636ENU) Olivos - Buenos Aires
Ph.: +54 11 4005.5540 | 5587
www.duralitte.com

PLANTA CARDALES

Parque Ind. Ruta 6
Ruta Prov. 6 Km. 180
(2814) Los Cardales
Buenos Aires

CENTRO DE SERVICIOS Y LOGÍSTICA NEUQUÉN

Fiambalá 307
(Q8304DIG) Neuquén
Ph.: +54 299 525.9321



USA HEADQUARTERS

19315 Dickson Park Dr.
Houston - Texas - TX 77373
www.duxaoil.com

WAREHOUSE

1920 WW Thorne Dr.
Houston - Texas - TX 77373
Ph.: +1 832.515.5543

MIDLAND TX WAREHOUSE

7509 W. Industrial Ave. - Suite B1
Midland - Texas - USA TX 79706
Ph.: +1 832.203.9643



BRASIL

Av. Doutor Augusto de Toledo 1572
Cep: 09540-080 - Bairro Oswaldo Cruz
São Caetano do Sul - São Paulo - Brasil
www.duralitte.com.br



USA HEADQUARTERS

19315 Dickson Park Dr.
Houston - Texas - TX 77373
www.duxatech.com

WAREHOUSE

1920 WW Thorne Dr.
Houston - Texas - TX 77373
Ph.: +1 832.515.5543

